CERTIFICATE OF ANALYSIS



Delta Remedys LLC Customer: 1 N Oplaine Rd, 8291 Gurnee, Illinois 60031

Batch #: EN10022831

Laboratory Number: ATL-16722

Report Issue Date: 11/22/2023

Order Date: 11/20/2023

Analysis Date: 11/22/2023

Extraction Technician: LL Analytical Chemist: LL

Kim Dang

LOQ

(mg/g)

< 0.009

< 0.005

< 0.005

Analyte

CBC

CBC-A

THC-A

Results

mg/gummy

N/D

N/D

N/D

%

N/D

N/D

N/D

Sample Description:

30 Delta -10 Apple Ring Gummies 750mg

Unit Weight: 7.5021g / Gummy



CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/gummy	%	Analyte	LOQ (mg/g)	Results mg/gummy	%
CBDV-A	<0.011	N/D	N/D	D8-THCV	<0.004	N/D	N/D
CBDV	<0.011	N/D	N/D	THCV-A	<0.005	N/D	N/D
CBD-A	<0.008	N/D	N/D	CBN	<0.011	N/D	N/D
CBG-A	<0.008	N/D	N/D	D9-THC	<0.014	N/D	N/D
CBG	<0.007	N/D	N/D	D8-THC	<0.005	N/D	N/D
CBD	<0.008	N/D	N/D	9S-D10-TH	C <0.005	7.11	0.093
THCV	<0.008	N/D	N/D	9R-D10-TH	2 <0.002	14.20	0.187

Max Active THC

Max Active CBD

1	//	7	7		
Tot	al Ac	tive		mg/gummy	%
Can	nabi	noids		21.31	0.28
//\					\ .
Tot				mg/gummy	\ %
Car	nabi	noids		21.31	0.28
/					

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Can

mg/gummy

mg/gummy

N/D

21.31

%

.28

N/D

Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.



